



Lokong Bearing Co., Ltd.



85 mm x 150 mm x 28 mm HM129848-90308
Tapered Roller Bearing
144.526x220.472x178.054mm

Bearing No. 6217

6217 Bearing 2D drawings and 3D CAD models

Size	85x150x28 mm
Bore Diameter	85 mm
Outer Diameter	150 mm
Width	28 mm
d	85 mm
D	150 mm
B	28 mm
C	28 mm
r min.	2 mm
da min.	94 mm
Da max.	141 mm
ra max.	2 mm
Weight	1,79 Kg
Basic dynamic load rating (C)	84 kN
Basic static load rating (C0)	61,9 kN
(Grease) Lubrication Speed	4200 r/min
(Oil) Lubrication Speed	5000 r/min
Category	Single Row Ball Bearings
Inventory	0.0
Manufacturer Name	KOYO
Minimum Buy Quantity	N/A
Weight / Kilogram	1.918
Product Group	B00308
Enclosure	Open



Lokong Bearing Co., Ltd.

Precision Class	ABEC 1 ISO P0
Maximum Capacity / Filling Slot	No
Rolling Element	Ball Bearing
Snap Ring	No
Internal Special Features	No
Cage Material	Steel
Internal Clearance	C0-Medium
Inch - Metric	Metric
Long Description	85MM Bore; 150MM Outside Diameter; 28MM Outer Race Diameter; Open; Ball Bearing; ABEC 1 ISO P0; No Filling Slot; No Snap Ring; No Internal Special Features
Category	Single Row Ball Bearing
UNSPSC	31171504
Harmonized Tariff Code	8482.10.50.68
Noun	Bearing
Keyword String	Ball
Manufacturer URL	http://www.koyousa.com
Manufacturer Item Number	6217
Weight / LBS	4.224
Outer Race Width	1.102 Inch 28 Millimeter
Bore	3.346 Inch 85 Millimeter
Outside Diameter	5.906 Inch 150 Millimeter
Bearing No.	6217
r(min)	2
Cr	105
C0r	61.9
Cu	3.70
f0	14.5
Grease lub.	4200



Lokong Bearing Co., Ltd.

Oil lub.	5000
da(min)	94
Da(max)	141
ra(max)	2
(Refer.)Mass(kg)	1.79